

PREVALENT MEDICAL CONDITION – DIABETES Plan of Care (Sample)

STUDENT INFORMATION:			
Student Nam <u>e</u> Ontario Ed. #	Date of Birth Age	— Student Photo (optional)	
Grade_	Teacher(s)		

EMERGENCY CONTACTS (LIST IN PRIORITY):

NAME	RELATIONSHIP	DAYTIME PHONE	ALTERNATE PHONE
1.			
2.			
3.			

TYPE 1 DIABETES SUPPORTS			
Names of trained individuals who will provide support with diabetes-related tasks: (e.g. designated staff or community care allies.)			
Method of home-school communication:			
Any other medical condition or allergy?			
<u>L</u>			

DAILY/ROUTINE TYPE 1 DIABETES MANAGEMENT			
Student is able to manage their of from the school.	diabetes care independently and does not require any special care		
☐ Yes ☐ No			
☐ If Yes, go directly to page five (5) — Emergency Procedures			
ROUTINE	ACTION		
BLOOD GLUCOSE MONITORING			
☐ Student requires trained	Target Blood Glucose Range		
individual to check BG/ read meter.	Time(s) to check BG:		
☐Student needs supervision to			
check BG/ read meter.	Contact Parent(s)/Guardian(s) if BG is:		
☐Student can independently check BG/ read meter.	Parent(s)/Guardian(s) Responsibilities:		
☐Student has continuous glucose monitor (CGM)	School Responsibilities:		
★ Students should be able to check blood glucose anytime, anyplace, respecting their preference for privacy.	Student Responsibilities:		
NUTRITION BREAKS	Recommended time(s) for meals/snacks:		
☐ Student requires supervision during mealtimes to ensure completion.	Parent(s)/Guardian(s) responsibilities:		
☐ Student can independently manage his/her food intake.	School Responsibilities:		
★ Reasonable accommodation must be made to allow student to eat all of the provided meals and snacks on time. Students should not trade or share	Student Responsibilities: Special instructions for meal days/special events:		
food/snacks with other students.			

ROUTINE	ACTION (CONTINUED)		
INSULIN ☐ Student does not take insulin at school.	Location of insulin:		
□Student takes insulin at school by: □ Injection □ Pump □Insulin is given by: □ Student □ Student with supervision □ Parent(s)/Guardian(s) □ Trained Individual ★ All students with Type 1 diabetes use insulin. Some students will require insulin during the school day, typically	School Responsibilities: Student Responsibilities:		
before meal/nutrition breaks. ACTIVITY PLAN	Please indicate what this student must do prior to physical activity		
Physical activity lowers blood glucose. BG is often checked before activity. Carbohydrates may need to be eaten before/after physical activity. A source of fast-acting sugar must always be accessible.	to help prevent low blood sugar: 1. Before activity: 2. During activity: 3. After activity: Parent(s)/Guardian(s) Responsibilities: School Responsibilities: Student Responsibilities: For special events, notify parent(s)/guardian(s) in advance so that		
	appropriate adjustments or arrar extracurricular, Terry Fox Run)	ngements can be made. (e.g.	

DIABETES MANAGEMENT KIT Parents must provide, maintain, and refresh supplies. School must ensure this kit is accessible all times. (e.g. field trips, fire drills, lockdowns) and advise parents when supplies are low. SPECIAL NEEDS A student with special considerations may require more assistance than outlined in this plan. Kits will be available in different locations but will include: Blood Glucose meter, BG test strips, and lancets Insulin and insulin pen and supplies. Source of fast-acting sugar (e.g. juice, candy, glucose tabs of Carbohydrate containing snacks) Carbohydrate containing snacks Other (Please list) Location of Kit: SPECIAL NEEDS A student with special considerations may require more assistance than outlined in this plan.	ROUTINE	ACTION (CONTINUED)
SPECIAL NEEDS A student with special considerations may require more assistance than	DIABETES MANAGEMENT KIT Parents must provide, maintain, and refresh supplies. School must ensure this kit is accessible all times. (e.g. field trips, fire drills, lockdowns) and advise parents when supplies are	 ☐ Kits will be available in different locations but will include: ☐ Blood Glucose meter, BG test strips, and lancets ☐ Insulin and insulin pen and supplies. ☐ Source of fast-acting sugar (e.g. juice, candy, glucose tabs.) ☐ Carbohydrate containing snacks
considerations may require more assistance than	SPECIAL NEEDS	
	considerations may require more assistance than	

EMERGENCY PROCEDURES

HYPOGLYCEMIA – LOW BLOOD GLUCOSE (4 mmol/L or less) DO NOT LEAVE STUDENT UNATTENDED

DO NOT LEAVE STODENT UNATTENDED				
Usual symptoms of Hypog	lycemia for my child are:			
☐ Shaky ☐ Blurred Vision ☐ Pale	☐ Irritable/Grouchy ☐ Headache ☐ Confused	☐ Dizzy ☐ Hungry ☐ Other	☐ Trembling ☐ Weak/Fatigue	
Steps to take for Mild Hypo	Steps to take for Mild Hypoglycemia (student is responsive)			
skittles) 2. Re-check blood glud 3. If still below 4 mmol	e, give grams of fas cose in 15 minutes. /L, repeat steps 1 and 2 u nack is more than one (1)	ntil BG is above 4 m		
Steps for <u>Severe</u> Hypoglyo	cemia (student is unrespor	nsive)		
 Place the student on their side in the recovery position. Call 9-1-1. Do not give food or drink (choking hazard). Supervise student until emergency medical personnel arrives. Contact parent(s)/guardian(s) or emergency contact 				
HYPERGLYCEMIA — HIGH BLOOD GLOCOSE				
	(14 MMOL/L OR	ABOVE)		
Usual symptoms of hyperg				
Coddi Cymptomo or myporg	liycemia for my child are:			
☐ Extreme Thirst ☐ Hungry ☐ Warm, Flushed Skin	☐ Frequent Urination☐ Abdominal Pain☐ Irritability	☐ Heada ☐ Blurred ☐ Other:		
☐ Extreme Thirst ☐ Hungry ☐ Warm, Flushed Skin Steps to take for Mild Hype 1. Allow student free u 2. Encourage student	☐ Frequent Urination ☐ Abdominal Pain ☐ Irritability erglycemia: se of bathroom.	☐Blurred		
☐ Extreme Thirst ☐ Hungry ☐ Warm, Flushed Skin Steps to take for Mild Hype 1. Allow student free u 2. Encourage student	☐ Frequent Urination ☐ Abdominal Pain ☐ Irritability erglycemia: se of bathroom. to drink water only. uardian if BG is above erglycemia (Notify parent(s	□Blurred □Other:	l Vision	
☐ Extreme Thirst ☐ Hungry ☐ Warm, Flushed Skin Steps to take for Mild Hype 1. Allow student free u 2. Encourage student 3. Inform the parent/gu	☐ Frequent Urination ☐ Abdominal Pain ☐ Irritability erglycemia: se of bathroom. to drink water only. uardian if BG is above erglycemia (Notify parent(sing ☐ Vomiting	□ Blurred □ Other: s)/guardian(s) immed	l Vision	

Page **6** of **7**

HEALTHCARE PROVIDER INFORMATION (OPTIONAL)

Healthcare provider may include: Physician, Nurse Practitioner, Registered Nurse, Pharmacist, Respiratory Therapist, Certified Respiratory Educator, or Certified Asthma Educator.

Healthcare Provider's Name: _			
Profession/Role:			
Signature:		Date	:
Special Instructions/Notes/Pres	scription Labels	S:	
If medication is prescribed, pledates for which the authorization			•
*This information may remain o	on file if there a	re no changes to t	he student's medical condition.
AL	JTHORIZATI	ON/PLAN REV	'IEW
INDIVIDUALS WI	TH WHOM THI	S PLAN OF CARI	E IS TO BE SHARED
1	3		5
2	4		6
Other individuals to be contacted	ed regarding Pl	lan Of Care:	
Before-School Program	☐ Yes	☐ No	
After-School Program	☐ Yes	□ No	
School Bus Driver/Route # (If A	Applicable)		
Other			
This plan remains in effect for reviewed on or before: responsibility to notify the principle year.)		(It is the parer	r without change and will be at(s)/guardian(s) or student the plan of care during the school
Parent(s)/Guardian(s):	Signature	Date	:
Student:			:
Principal:sig		Date	: